


SKIRTING 40

POLISHED AND BRUSHED
STAINLESS STEEL AISI 304/1.4301-V2A

SKIRTING 40 made in stainless steel AISI 304/1.4301-V2A in height 40 mm. Available with or without adhesive. Superior aesthetic quality, extremely strong and easy to lay, it is ideal for all public and private environments that require high standards of hygiene and image. Used increasingly more often in contrast combinations with wood, carpeted floors, etc. for an unmistakable hi-tech effect. In order to facilitate and to perfect the laying process, internal and external angles, plugs and junctions are recommended.



POLISHED STAINLESS STEEL AISI 304/1.4301-V2A
with protective film - bar length 2 lm - pack. 25 Pcs - 50 lm

Article	H mm		
BTAC 40A	40		
BTAC 40	40		

"A" at the end of the product code = Item with adhesive




BRUSHED STAINLESS STEEL AISI 304/1.4301-V2A
with protective film - bar length 2 lm - pack. 25 Pcs - 50 lm

Article	H mm		
BTACS 40A	40		
BTACS 40	40		

"A" at the end of the product code = Item with adhesive

EXAMPLES OF LAYING



SUITABLE FOR USE IN CONTACT WITH FOODSTUFFS

LAYING INSTRUCTIONS

1. Choose the "SKIRTING 40" also choose with or without adhesive.
2. Cut the profile to the required length, taking care to calculate the width of the inside-outside corner joints. 3. For the self-adhesive version, the surface must be smooth, grease-free and not porous. It is not recommended for plaster and mortar surfaces (version without adhesive is better, using fast-setting acrylic silicone which is suitable for fixing aluminium to mortar - plaster, etc.). 4. Use the corner linking elements-joints and right and left end caps to facilitate laying.

USE PROBAND FIX FOR FIXING THE PROFILE TO THE WALL



COLOURS

AC - Polished stainless steel AISI 304/1.4301-V2A	ACS - Brushed stainless steel AISI 304/1.4301-V2A

CORNERS, END CAPS AND JOINTS

STEEL and VARNISHED METAL

EDGE COVER VARNISHED METAL




RIZCT... 40/...
Internal corner



REZCT... 40/...
external corner




GIZCT... 40/...
joint




TPZCT... 40/...
end caps

PRE-WELDED



RI... 40/...
internal corner



RE... 40/...
external corner

VARNISHED METAL - EDGE COVER CORNERS - articles not for sale singly

INTERNAL/EXTERNAL CORNER - EDGE COVER VARNISHED METAL POLISHED STEEL EFFECT

Article	HxL mm	pack. 2Pcs	pack. 5Pcs
RIZCTAC 40/...	40 x 20		
REZCTAC 40/...	40 x 20		

JOINT - EDGE COVER

VARNISHED METAL POLISHED STEEL EFFECT

Article	HxL mm	pack. 2Pcs	pack. 5Pcs
GIZCTAC 40/...	40		

Choose the desired packaging.

E.g.: RIZCTAC 40/2 (pack. 2 Pcs) - RIZCTAC 40/5 (pack. 5 Pcs)

END CAPS R / L - EDGE COVER - VARNISHED METAL POLISHED STEEL EFFECT - pack. 4Pcs (2 R + 2 L) / 10Pcs (5 R + 5 L)

Article	H mm	pack. 4Pcs	pack. 10Pcs
TPZCTAC 40/...	40		

Choose the desired packaging.

E.g.: TPZCTAC 40/2 (pack. 4 Pcs: 2 right + 2 left)
TPZCTAC 40/5 (pack. 10 Pcs: 5 right + 5 left)

INTERNAL/EXTERNAL CORNER - EDGE COVER VARNISHED METAL BRUSHED STAINLESS ST. EFFECT

Article	HxL mm	pack. 2Pcs	pack. 5Pcs
RIZCTACS 40/...	40 x 20		
REZCTACS 40/...	40 x 20		

JOINT - EDGE COVER

VARNISHED METAL BRUSHED STAINLESS ST. EFFECT

Article	H mm	pack. 2Pcs	pack. 5Pcs
GIZCTACS 40/...	40		

Choose the desired packaging.

E.g.: RIZCTACS 40/2 (pack. 2 Pcs) - RIZCTACS 40/5 (pack. 5 Pcs)

END CAPS R / L - EDGE COVER - VARNISHED METAL BRUSHED STAINLESS ST. EFFECT - pack. 4Pcs (2 R + 2 L) / 10Pcs (5 R + 5 L)

Article	H mm	pack. 4Pcs	pack. 10Pcs
TPZCTACS 40/...	40		

Choose the desired packaging.

E.g.: TPZCTACS 40/2 (pack. 4 Pcs: 2 right + 2 left)
TPZCTACS 40/5 (pack. 10 Pcs: 5 right + 5 left)

STEEL AISI 304/1.4301-V2A - FLUSH CORNERS - articles not for sale singly

INTERNAL/EXTERNAL CORNER FLUSH PRE-WELDED - POLISHED STEEL EFFECT

Article	HxL mm	pack. 2Pcs	pack. 5Pcs
RIAC 40/...	40 x 50		
REAC 40/...	40 x 50		

Choose the desired packaging.

E.g.: RIAC 40/2 (pack. 2 Pcs) - RIAC 40/5 (pack. 5 Pcs)

INTERNAL/EXTERNAL CORNER FLUSH PRE-WELDED - BRUSHED STAINLESS STEEL

Article	HxL mm	pack. 2Pcs	pack. 5Pcs
RIACS 40/...	40 x 50		
REACS 40/...	40 x 50		

Choose the desired packaging.

E.g.: RIACS 40/2 (pack. 2 Pcs) - RIACS 40/5 (pack. 5 Pcs)

SKIRTING 40 made in anodized, polished and brushed aluminium in height 40 mm. Available with or without adhesive. Superior aesthetic quality and easy to lay, it is ideal for all public and private environments. Can be used with all types of flooring. In order to facilitate and to perfect the laying process, internal and external angles, plugs and junctions are recommended. Please contact the technical department for informations concerning the skirting bending radius.

SKIRTING 40

ANODIZED, POLISHED, VARNISHED
and BRUSHED ALUMINIUM



ANODIZED SILVER ALUMINIUM thermo packed
bar length 2 lm - pack. 40 Pcs - 80 lm

Article	H mm		
BTAA 40A	40		
BTAA 40	40		

"A" at the end of the product code = Item with adhesive

POLISHED TITANIUM ALUMINIUM thermo packed
bar length 2 lm - pack. 40 Pcs - 80 lm


Article	H mm		
BTBT 40A	40		
BTBT 40	40		

"A" at the end of the product code = Item with adhesive

VARNISHED SEMIGLOSSY AND MATT WHITE ALUMINIUM
thermo packed - bar length 2 lm - pack. 40 Pcs - 80 lm

Article	H mm		
BTA 40-01A	40		
BTA 40-01	40		
BTA 40-010A	40		
BTA 40-010	40		

"A" at the end of the product code = Item with adhesive



BRUSHED ALUMINIUM (silver-copper-titanium)
thermo packed - bar length 2 lm - pack. 40 Pcs - 80 lm


Article	H mm		
BTBS 40A	40		
BTBS 40	40		
BTRS 40A	40		
BTRS 40	40		
BTTS 40A	40		
BTTS 40	40		

"A" at the end of the product code = Item with adhesive

STONE LINE ALUMINIUM
thermo packed - bar length 2 lm - pack. 40 Pcs - 80 lm

Article	H mm		
BTA 40-SL01A	40		
BTA 40-SL01	40		
BTA 40-SL08A	40		
BTA 40-SL08	40		
BTA 40-SL12A	40		
BTA 40-SL12	40		

"A" at the end of the product code = Item with adhesive



EXAMPLES AND INSTRUCTIONS FOR LAYING METHODS



1. Choose the "SKIRTING 40" also choose with or without adhesive.
2. Cut the profile to the required length, taking care to calculate the width of the inside-outside corner joints.
3. For the self-adhesive version, the surface must be smooth, grease-free and not porous. It is not recommended for plaster and mortar surfaces (version without adhesive is better, using fast-setting acrylic silicone which is suitable for fixing aluminium to mortar - plaster, etc.).
4. Use the corner linking elements-joints and right and left end caps to facilitate laying.

USE PROBAND FIX FOR FIXING THE PROFILE TO THE WALL



(There aren't combinations for the finish alu. RS)

On demand may be realised in other finishes of the colour chart. Contact our customer service for minimum quantity, timing and price.

COLORS

ANODIZED	POLISHED	BRUSHED
AA - Anodized silver alum.	BT - Polished titanium alum.	BS - Brushed silver alum.
		RS - Brushed copper alum.
		TS - Brushed titanium alum.

SEMIGLOSSY	MATT	STONE LINE
01 - White varnished alum. (9016)	010 - White varnished alum. (9016)	SL01 - Stone white
		SL08 - Stone antrdark
		SL12 - Stone black

CORNERS, END CAPS AND JOINTS

VARNISHED METAL and VARNISHED PLASTIC

* Corners, end caps and joints of the on demand profiles are also on demand

INTERNAL/EXTERNAL CORNER - EDGE COVER - VARNISHED METAL, ANODIZED, POLISHED STONE LINE - H 40 MM - L 20 MM

Article	pack. 2Pcs	pack. 5Pcs
RIZCTAA 40/...		
REZCTAA 40/...		
RIZCTBT/BS/TS/RS 40/...		
REZCTBT/BS/TS/RS 40/...		
RIZCT01/010 40/...		
REZCT01/010 40/...		
RIZCTA 40-SL.../...		
REZCTA 40-SL.../...		

Choose the desired packaging.

E.g.: RIZCTAA 40/2 (pack. 2 Pcs) - RIZCTAA 40/5 (pack. 5Pcs)

JOINT - EDGE COVER VARNISHED METAL ANODIZED, POLISHED, STONE LINE

Article	H mm		
GIZCTAA 40/...	40		
GIZCTBT/BS/TS/RS 40/...	40		
GIZCT01/010 40/...	40		
GIZCTA 40-SL.../...	40		

END CAPS R / L - EDGE COVER - VARNISHED METAL ANODIZED, POLISHED, STONE LINE - pack. 4Pcs (2 R + 2 L) / 10Pcs (5 R + 5 L)

Article	H mm		
TPZCTAA 40/...	40		
TPZCTBT/BS/TS/RS 40/...	40		
TPZCT01/010 40/...	40		
TPZCTA 40-SL.../...	40		

INTERNAL/EXTERNAL CORNER - EDGE COVER VARNISHED PLASTIC ANODIZED SILVER, POLISHED AND TITANIUM

Article	HxL mm	pack. 2Pcs	pack. 5Pcs
RICTAA 40/...	40 x 20		
RECTAA 40/...	40 x 20		
RICTBT 40/...	40 x 20		
RECTBT 40/...	40 x 20		

Choose the desired packaging.

E.g.: RICTAA 40/2 (pack. 2 Pcs) - RICTAA 40/5 (pack. 5 Pcs)

Available on demand aluminium prewelded internal and external flush corners. Finishing: 01 - 010 - AA - BT - BS - RS - TS. Price to be agreed. Production delay 4/5 weeks.

JOINT - EDGE COVER VARNISHED PLASTIC ANODIZED SILVER, POLISHED AND TITANIUM

Article	H mm		
GICTAA 40/...	40		
GICTBT 40/...	40		

END CAPS R / L - EDGE COVER - VARNISHED PLASTIC ANODIZED SILVER, POLISHED AND TITANIUM - pack. 4Pcs (2 R + 2 L) / 10Pcs (5 R + 5 L)

Article	H mm		
TPCTAA 40/...	40		
TPCTBT 40/...	40		

Choose the desired packaging.

E.g.: TPCTAA 40/2 (pack. 4 Pcs: 2 right + 2 left)

METAL EDGE COVER



PLASTIC EDGE COVER



*** = Production on demand with minimum quantity of 80 Pcs. Production delay 4/5 weeks. Price to be agreed



* = Production on demand with minimum quantity of 100 Pcs. Production delay 4/5 weeks. Price to be agreed

News 2023

SKIRTING 60

POLISHED and Brushed
STAINLESS STEEL AISI 304/1.4301-V2A

SKIRTING 60 made in stainless steel AISI 304/1.4301-V2A in height 60 mm. Available with or without adhesive. Superior aesthetic quality, extremely strong and easy to lay, it is ideal for all public and private environments that require high standards of hygiene and image. Used increasingly more often in contrast combinations with wood, carpeted floors, etc. for an unmistakable hi-tech effect. In order to facilitate and to perfect the laying process, internal and external angles, plugs and junctions are recommended.



POLISHED STAINLESS STEEL AISI 304/1.4301-V2
with protective film - bar length 2 lm - pack. 25 Pcs - 50 lm

Article	H mm	pack. 2Pcs	pack. 5Pcs
BTAC 60A	60		
BTAC 60	60		

"A" at the end of the product code = Item with adhesive



Brushed STAINLESS STEEL AISI 304/1.4301-V2A
with protective film - bar length 2 lm - pack. 25 Pcs - 50 lm

Article	H mm	pack. 2Pcs	pack. 5Pcs
BTACS 60A	60		
BTACS 60	60		

"A" at the end of the product code = Item with adhesive

SUITABLE FOR USE IN CONTACT WITH FOODSTUFFS

LAYING INSTRUCTIONS

1. Choose the "SKIRTING 60" also choose with or without adhesive. 2. Cut the profile to the required length, taking care to calculate the width of the inside-outside corner joints. 3. For the self-adhesive version, the surface must be smooth, grease-free and not porous. It is not recommended for plaster and mortar surfaces (version without adhesive is better, using fast-setting acrylic silicone which is suitable for fixing aluminium to mortar - plaster, etc.). 4. Use the corner linking elements-joints and right and left end caps to facilitate laying.

COLOURS

AC - Polished stainless steel AISI 304/1.4301-V2A	ACS - Brushed stainless steel AISI 304/1.4301-V2A

USE PROBAND FIX FOR FIXING THE PROFILE TO THE WALL



CORNERS, END CAPS AND JOINTS

STEEL and VARNISHED METAL

EDGE COVER VARNISHED METAL



RIZCT... 60/...
internal corner



REZCT... 60/...
external corner




GIZCT... 60/...
joint




TPZCT... 60/...
end caps

PRE-WELDED



RI... 60/...
internal corner



RE... 60/...
external corner

VARNISHED METAL - EDGE COVER CORNERS - articles not for sale singly

INTERNAL/EXTERNAL CORNER - EDGE COVER VARNISHED METAL POLISHED STEEL EFFECT

Article	HxL mm	pack. 2Pcs	pack. 5Pcs
RIZCTAC 60/...	60 x 20		
REZCTAC 60/...	60 x 20		

JOINT - EDGE COVER

VARNISHED METAL POLISHED STEEL EFFECT

Article	H mm	pack. 2Pcs	pack. 5Pcs
GIZCTAC 60/...	60		

Choose the desired packaging.

E.g.: RIZCTAC 60/2 (pack. 2 Pcs) - RIZCTAC 60/5 (pack. 5 Pcs)

END CAPS R / L - EDGE COVER - VARNISHED METAL POLISHED STEEL EFFECT - pack. 4Pcs (2 R + 2 L) / 10Pcs (5 R + 5 L)

Article	H mm	pack. 4Pcs	pack. 10Pcs
TPZCTAC 60/...	60		

Choose the desired packaging.

E.g.: TPCCTAC 60/2 (pack. 4 Pcs: 2 right + 2 left)
TPCCTAC 60/5 (pack. 10 Pcs: 5 right + 5 left)

INTERNAL/EXTERNAL CORNER - EDGE COVER VARNISHED METAL BRUSHED STAINLESS ST. EFFECT

Article	HxL mm	pack. 2Pcs	pack. 5Pcs
RIZCTACS 60/...	60 x 20		
REZCTACS 60/...	60 x 20		

JOINT - EDGE COVER

VARNISHED METAL BRUSHED STAINLESS ST. EFFECT

Article	H mm	pack. 2Pcs	pack. 5Pcs
GIZCTACS 60/...	60		

Choose the desired packaging.

E.g.: RIZCTACS 60/2 (pack. 2 Pcs) - RIZCTACS 60/5 (pack. 5 Pcs)

END CAPS R / L - EDGE COVER - VARNISHED METAL BRUSHED STAINLESS ST. EFFECT - pack. 4Pcs (2 R + 2 L) / 10Pcs (5 R + 5 L)

Article	H mm	pack. 4Pcs	pack. 10Pcs
TPZCTACS 60/...	60		

Choose the desired packaging.

E.g.: TPCCTACS 60/2 (pack. 4 Pcs: 2 right + 2 left)
TPCCTACS 60/5 (pack. 10 Pcs: 5 right + 5 left)

STEEL AISI 304/1.4301-V2A - FLUSH CORNERS - articles not for sale singly

INTERNAL/EXTERNAL CORNER FLUSH PRE-WELDED - POLISHED STEEL EFFECT

Article	HxL mm	pack. 2Pcs	pack. 5Pcs
RIAC 60/...	60 x 50		
REAC 60/...	60 x 50		

Choose the desired packaging.

E.g.: RIAC 60/2 (pack. 2 Pcs) - RIAC 60/5 (pack. 5 Pcs)

INTERNAL/EXTERNAL CORNER FLUSH PRE-WELDED - BRUSHED STAINLESS STEEL

Article	HxL mm	pack. 2Pcs	pack. 5Pcs
RIACS 60/...	60 x 50		
REACS 60/...	60 x 50		

Choose the desired packaging.

E.g.: RIACS 60/2 (pack. 2 Pcs) - RIACS 60/5 (pack. 5 Pcs)

SKIRTING 60 made in anodized, polished and brushed aluminium in height 60 mm. Available with or without adhesive. Superior aesthetic quality and easy to lay, it is ideal for all public and private environments. Can be used with all types of flooring. In order to facilitate and to perfect the laying process, internal and external angles, plugs and junctions are recommended. Please contact the technical department for informations concerning the skirting bending radius.

SKIRTING 60

ANODIZED, POLISHED, VARNISHED
and BRUSHED ALUMINIUM



ANODIZED SILVER ALUMINIUM thermo packed
bar length 2 lm - pack. 40 Pcs - 80 lm

Article	H mm
BTAA 60A	60
BTAA 60	60

"A" at the end of the product code = Item with adhesive

POLISHED TITANIUM ALUMINIUM thermo packed
bar length 2 lm - pack. 40 Pcs - 80 lm

Article	H mm
BTBT 60A	60
BTBT 60	60

"A" at the end of the product code = Item with adhesive

VARNISHED SEMIGLOSSY AND MATT WHITE ALUMINIUM
thermo packed - bar length 2 lm - pack. 40 Pcs - 80 lm

Article	H mm
BTA 60-01A	60
BTA 60-01	60
BTA 60-010A	60
BTA 60-010	60

"A" at the end of the product code = Item with adhesive



BRUSHED ALUMINIUM (silver-copper-titanium)
thermo packed - bar length 2 lm - pack. 40 Pcs - 80 lm

Article	H mm
BTBS 60A	60
BTBS 60	60
BTRS 60A	60
BTRS 60	60
BTTS 60A	60
BTTS 60	60

"A" at the end of the product code = Item with adhesive

STONE LINE ALUMINIUM
thermo packed - bar length 2 lm - pack. 40 Pcs - 80 lm


Article	H mm
BTB 60-SL01A	60
BTB 60-SL01	60
BTB 60-SL08A	60
BTB 60-SL08	60
BTB 60-SL12A	60
BTB 60-SL12	60

"A" at the end of the product code = Item with adhesive


COLOURS

ANODIZED	POLISHED	BRUSHED	SEMIGLOSSY	MATT	STONE LINE
AA - Anodized silver alum.	BT - Polished titanium alum.	BS - Brushed silver alum.	RS - Brushed copper alum.	TS - Brushed titanium alum.	01 - White varnished alum. (9016)
					010 - White varnished alum. (9016)
					SL01 - Stone white
					SL08 - Stone antrdark
					SL12 - Stone black

BT... 60/60A



EXAMPLES AND INSTRUCTIONS FOR LAYING METHODS



USE PROBAND FIX FOR FIXING THE PROFILE TO THE WALL

CORNERS, END CAPS AND JOINTS

VARNISHED METAL and VARNISHED PLASTIC

★ Corners, end caps and joints of the on demand profiles are also on demand

INTERNAL/EXTERNAL CORNER - EDGE COVER - VARNISHED METAL
ANODIZED, POLISHED, STONE LINE - H 60 X L 20

Article	H mm
RIZCTAA 60/...	60
REZCTAA 60/...	60
RIZCTBT/BS/TS/RS 60/...	60
REZCTBT/BS/TS/RS 60/...	60
RIZCT01/010 60/...	60
REZCT01/010 60/...	60
RIZCTA 60-SL.../...	60
REZCTA 60-SL.../...	60

Choose the desired packaging.
E.g.: RIZCTAA 60/2 (pack. 2 Pcs) - RIZCTAA 60/5 (pack. 5 Pcs)

JOINT - EDGE COVER
VARNISHED METAL ANODIZED, POLISHED, STONE LINE

Article	H mm
GIZCTAA 60/...	60
GIZCTBT/BS/TS/RS 60/...	60
GIZCT01/010 60/...	60
GIZCTA 60-SL.../...	60

END CAPS R / L - EDGE COVER - VARNISHED METAL ANODIZED, POLISHED, STONE LINE - pack. 4Pcs (2 R + 2 L) / 10Pcs (5 R + 5 L)

Article	H mm
TPZCTAA 60/...	60
TPZCTBT/BS/TS/RS 60/...	60
TPZCT01/010 60/...	60
TPZCTA 60-SL.../...	60

Choose the desired packaging.
E.g.: TPZCTAA 60/2 (pack. 4 Pcs: 2 right + 2 left)

INTERNAL/EXTERNAL CORNER - EDGE COVER
VARNISHED PLASTIC ANODIZED SILVER, POLISHED AND TITANIUM

Article	HxL mm
RICTAA 60/...	60 x 20
RECTAA 60/...	60 x 20
RICTBT 60/...	60 x 20
RECTBT 60/...	60 x 20

JOINT - EDGE COVER
VARNISHED PLASTIC ANODIZED SILVER, POLISHED AND TITANIUM

Article	H mm
GICTAA 60/...	60
GICTBT 60/...	60

END CAPS R / L - EDGE COVER - VARNISHED PLASTIC ANODIZED SILVER, POLISHED AND TITANIUM - pack. 4Pcs (2 R + 2 L) / 10Pcs (5 R + 5 L)

Article	H mm
TPCTAA 60/...	60
TPCTBT 60/...	60

INTERNAL/EXTERNAL CORNER - FLUSH
VARNISHED PLASTIC ANODIZED SILVER, POLISHED AND TITANIUM

Article	HxL mm
RIBAA 60/...	60 x 25
REBAA 60/...	60 x 25
RIBBT 60/...	60 x 25
REBBT 60/...	60 x 25

JOINT - FLUSH
VARNISHED PLASTIC ANODIZED SILVER, POLISHED AND TITANIUM

Article	H mm
GIBAA 60/...	60
GIBBT 60/...	60

END CAPS R / L - FLUSH - VARNISHED PLASTIC ANODIZED SILVER, POLISHED AND TITANIUM - pack. 4Pcs (2 R + 2 L) / 10Pcs (5 R + 5 L)

Article	H mm
TPBAA 60/...	60
TPBBT 60/...	60

Available on demand aluminium prewelded internal and external flush corners. Finishing: 01 - 010 - AA - BT - BS - RS - TS. Price to be agreed.
Production delay 4/5 weeks.

METAL EDGE COVER



PLASTIC EDGE COVER



PLASTIC FLUSH




★ = Production on demand with minimum quantity of 80 Pcs. Production delay 4/5 weeks. Price to be agreed

★ = Production on demand with minimum quantity of 100 Pcs. Production delay 4/5 weeks. Price to be agreed

News 2023

SKIRTING 80

POLISHED AND BRUSHED
STAINLESS STEEL AISI 304/1.4301-V2A



EXAMPLES OF LAYING



SKIRTING 80 made in stainless steel AISI 304/1.4301-V2A in height 80 mm. Available with or without adhesive. Superior aesthetic quality, extremely strong and easy to lay, it is ideal for all public and private environments that require high standards of hygiene and image. Used increasingly more often in contrast combinations with wood, carpeted floors, etc. for an unmistakable hi-tech effect. In order to facilitate and to perfect the laying process, internal and external angles, plugs and junctions are recommended.



POLISHED STAINLESS STEEL AISI 304/1.4301-V2
with protective film - bar length 2 lm - pack. 25 Pcs - 50 lm

Article	H mm		
BTAC 80A	80		
BTAC 80	80		

"A" at the end of the product code = Item with adhesive



Brushed STAINLESS STEEL AISI 304/1.4301-V2A
with protective film - bar length 2 lm - pack. 25 Pcs - 50 lm

Article	H mm		
BTACS 80A	80		
BTACS 80	80		

"A" at the end of the product code = Item with adhesive

SUITABLE FOR USE IN CONTACT WITH FOODSTUFFS

LAYING INSTRUCTIONS

1. Choose the "SKIRTING 80" also choose with or without adhesive. 2. Cut the profile to the required length, taking care to calculate the width of the inside-outside corner joints. 3. For the self-adhesive version, the surface must be smooth, grease-free and not porous. It is not recommended for plaster and mortar surfaces (version without adhesive is better, using fast-setting acrylic silicone which is suitable for fixing aluminium to mortar - plaster, etc.). 4. Use the corner linking elements-joints and right and left end caps to facilitate laying.

COLOURS

AC - Polished stainless steel AISI 304/1.4301-V2A	ACS - Brushed stainless steel AISI 304/1.4301-V2A

USE PROBAND FIX FOR FIXING THE PROFILE TO THE WALL



CORNERS, END CAPS AND JOINTS

STEEL AND VARNISHED METAL

EDGE COVER VARNISHED METAL



RIZCT... 80
internal corner



REZTAC... 80
external corner



GIZCT... 80
joint




TPZCT... 80/3
end caps

PRE-WELDED



RI... 80
internal corner



RE... 80
external corner

VARNISHED METAL - EDGE COVER CORNERS - articles not for sale singly

INTERNAL/EXTERNAL CORNER - EDGE COVER VARNISHED METAL POLISHED STEEL EFFECT

Article	HxL mm	pack. 2Pcs	pack. 5Pcs
RIZCTAC 80/...	80 x 20		
REZCTAC 80/...	80 x 20		

JOINT - EDGE COVER

VARNISHED METAL POLISHED STEEL EFFECT

Article	H mm	pack. 2Pcs	pack. 5Pcs
GIZCTAC 80	80		

Choose the desired packaging.

E.g.: RIZCTAC 80/2 (pack. 2 Pcs) - RIZCTAC 80/5 (pack. 5 Pcs)

END CAPS R / L - EDGE COVER - VARNISHED METAL POLISHED STEEL EFFECT - pack. 4Pcs (2 R + 2 L) / 10Pcs (5 R + 5 L)

Article	H mm	pack. 4Pcs	pack. 10Pcs
TPZCTAC 80/...	80		

Choose the desired packaging.

E.g.: TPCCTAC 80/2 (pack. 4 Pcs: 2 right + 2 left)

TPCCTAC 80/5 (pack. 10 Pcs: 5 right + 5 left)

INTERNAL/EXTERNAL CORNER - EDGE COVER VARNISHED METAL BRUSHED STAINLESS ST. EFFECT

Article	HxL mm	pack. 2Pcs	pack. 5Pcs
RIZCTACS 80/...	80 x 20		
REZCTACS 80/...	80 x 20		

JOINT - EDGE COVER

VARNISHED METAL BRUSHED STAINLESS ST. EFFECT

Article	H mm	pack. 2Pcs	pack. 5Pcs
GIZCTACS 80/...	80		

Choose the desired packaging.

E.g.: RIZCTACS 80/2 (pack. 2 Pcs) - RIZCTACS 80/5 (pack. 5 Pcs)

END CAPS R / L - EDGE COVER - VARNISHED METAL BRUSHED STAINLESS ST. EFFECT - pack. 4Pcs (2 R + 2 L) / 10Pcs (5 R + 5 L)

Article	H mm	pack. 4Pcs	pack. 10Pcs
TPZCTACS 80/...	80		

Choose the desired packaging.

E.g.: TPCCTACS 80/2 (pack. 4 Pcs: 2 right + 2 left)

TPCCTACS 80/5 (pack. 10 Pcs: 5 right + 5 left)

STEEL AISI 304/1.4301-V2A - FLUSH CORNERS - articles not for sale singly

INTERNAL/EXTERNAL CORNER FLUSH PRE-WELDED - POLISHED STEEL EFFECT

Article	HxL mm	pack. 2Pcs	pack. 5Pcs
RIAC 80/...	80 x 50		
REAC 80/...	80 x 50		

Choose the desired packaging.

E.g.: RIAC 80/2 (pack. 2 Pcs) - RIAC 80/5 (pack. 5 Pcs)

INTERNAL/EXTERNAL CORNER FLUSH PRE-WELDED - BRUSHED STAINLESS STEEL

Article	HxL mm	pack. 2Pcs	pack. 5Pcs
RIACS 80/...	80 x 50		
REACS 80/...	80 x 50		

Choose the desired packaging.

E.g.: RIACS 80/2 (pack. 2 Pcs) - RIACS 80/5 (pack. 5 Pcs)

SKIRTING 80 made in anodized, polished and brushed aluminium in height 80 mm. Available with or without adhesive. Superior aesthetic quality and easy to lay, it is ideal for all public and private environments. Can be used with all types of flooring. In order to facilitate and to perfect the laying process, internal and external angles, plugs and junctions are recommended. Please contact the technical department for informations concerning the skirting bending radius.

SKIRTING 80

ANODIZED, POLISHED, VARNISHED
and BRUSHED ALUMINIUM



ANODIZED SILVER ALUMINIUM thermo packed
bar length 2 lm - pack. 25 Pcs - 50 lm


Article	H mm
BTAA 80A	80
BTAA 80	80

POLISHED TITANIUM ALUMINIUM thermo packed
bar length 2 lm - pack. 25 Pcs - 50 lm

Article	H mm
BTBT 80A	80
BTBT 80	80

VARNISHED SEMIGLOSSY AND MATT WHITE ALUMINIUM
thermo packed - bar length 2 lm - pack. 25 Pcs - 50 lm

Article	H mm
BTA 80-01A	80
BTA 80-01	80
BTA 80-010A	80
BTA 80-010	80




BRUSHED ALUMINIUM (silver-copper-titanium)
thermo packed - bar length 2 lm - pack. 25 Pcs - 50 lm

Article	H mm
BTBS 80A	80
BTBS 80	80
BTRS 80A	80
BTRS 80	80
BTTS 80A	80
BTTS 80	80


STONE LINE ALUMINIUM
thermo packed - bar length 2 lm - pack. 40 Pcs - 80 lm

Article	H mm
BT 80-SL01A	80
BT 80-SL01	80
BT 80-SL08A	80
BT 80-SL08	80
BT 80-SL12A	80
BT 80-SL12	80

BT... 80/80A



EXAMPLES AND INSTRUCTIONS FOR LAYING METHODS



USE PROBAND FIX FOR FIXING THE PROFILE TO THE WALL

COLOURS

ANODIZED	POLISHED	BRUSHED	SEMIGLOSSY	MATT	STONE LINE
AA - Anodized silver alum.	BT - Polished titanium alum.	BS - Brushed silver alum.	RS - Brushed copper alum.	TS - Brushed titanium alum.	01 - White varnished alum. (9016)
					010 - White varnished alum. (9016)
					SL01 - Stone white
					SL08 - Stone antradrack
					SL12 - Stone black
					On demand

CORNERS, END CAPS AND JOINTS

VARNISHED METAL and VARNISHED PLASTIC

★ Corners, end caps and joints of the on demand profiles are also on demand

INTERNAL/EXTERNAL CORNER - EDGE COVER - VARNISHED METAL
ANODIZED, POLISHED, STONE LINE - H 80 X L 20

Article
RIZCTAA 80/...
REZCTAA 80/...
RIZCTBT/BS/TS/RS 80/...
REZCTBT/BS/TS/RS 80/...
RIZCT01/010 80/...
REZCT01/010 80/...
RIZCTA 80-SL.../...
REZCTA 80-SL.../...

Choose the desired packaging.
E.g.: RIZCTAA 80/2 (pack. 2 Pcs) - RIZCTAA 80/5 (pack. 5 Pcs)

INTERNAL/EXTERNAL CORNER - EDGE COVER
VARNISHED PLASTIC ANODIZED SILVER, POLISHED AND TITANIUM

Article	HxL mm
RICTAA 80/...	80 x 20
RECTAA 80/...	80 x 20
RICTBT 80/...	80 x 20
RECTBT 80/...	80 x 20

JOINT - EDGE COVER
VARNISHED PLASTIC ANODIZED SILVER, POLISHED AND TITANIUM

Article	H mm
GICTAA 80/...	80
GICTBT 80/...	80

END CAPS R / L - EDGE COVER - VARNISHED PLASTIC ANODIZED SILVER, POLISHED AND TITANIUM - pack. 4Pcs (2 R + 2 L) / 10Pcs (5 R + 5 L)

Article	H mm
TPCTAA 80/...	80
TPCTBT 80/...	80

JOINT - EDGE COVER
VARNISHED METAL ANODIZED, POLISHED, STONE LINE

Article	H mm
GIZCTAA 80/...	80
GIZCTBT/BS/TS/RS 80/...	80
GIZCT01/010 80/...	80
GIZCTA 80-SL.../...	80

END CAPS R / L - EDGE COVER - VARNISHED METAL ANODIZED, POLISHED, STONE LINE - pack. 4Pcs (2 R + 2 L) / 10Pcs (5 R + 5 L)

Article	H mm
TPZCTAA 80/...	80
TPZCTBT/BS/TS/RS 80/...	80
TPZCT01/010 80/...	80
TPZCTA 80-SL.../...	80

Choose the desired packaging.
E.g.: TPZCTAA 80/2 (pack. 4 Pcs: 2 right + 2 left)

INTERNAL/EXTERNAL CORNER - FLUSH
VARNISHED PLASTIC ANODIZED SILVER, POLISHED AND TITANIUM

Article	HxL mm
RIBAA 80/...	80 x 25
REBAA 80/...	80 x 25
RIBBT 80/...	80 x 25
REBBT 80/...	80 x 25

JOINT - FLUSH
VARNISHED PLASTIC ANODIZED SILVER, POLISHED AND TITANIUM

Article	H mm
GIBAA 80/...	80
GIBBT 80/...	80

END CAPS R / L - FLUSH - VARNISHED PLASTIC ANODIZED SILVER, POLISHED AND TITANIUM - pack. 4Pcs (2 R + 2 L) / 10Pcs (5 R + 5 L)

Article	H mm
TPBAA 80/...	80
TPBBT 80/...	80

Available on demand aluminium prewelded internal and external flush corners. Finishing: 01 - 010 - AA - BT - BS - RS - TS. Price to be agreed.
Production delay 4/5 weeks.



★ = Production on demand with minimum quantity of 80 Pcs. Production delay 4/5 weeks. Price to be agreed


★ = Production on demand with minimum quantity of 100 Pcs. Production delay 4/5 weeks. Price to be agreed

News 2023

SKIRTING 100 SKIRTING 150

POLISHED AND BRUSHED
STAINLESS STEEL AISI 304/1.4301-V2A

SKIRTING 100 and **SKIRTING 150** made in stainless steel AISI 304/1.4301-V2A in height 100 and 150 mm. Available with or without adhesive. Superior aesthetic quality, extremely strong and easy to lay, it is ideal for all public and private environments that require high standards of hygiene and image. Used increasingly more often in contrast combinations with wood, carpeted floors, etc. for an unmistakable hi-tech effect. In order to facilitate and to perfect the laying process, internal and external angles, plugs and junctions are recommended.



EXAMPLES OF LAYING



POLISHED STAINLESS STEEL AISI 304/1.4301-V2
with protective film - bar length 2 lm - pack. 20 Pcs - 40 lm

Article	H mm		
BTAC 100A	100		
BTAC 100	100		

Brushed STAINLESS STEEL AISI 304/1.4301-V2A
with protective film - bar length 2 lm - pack. 20 Pcs - 40 lm

Article	H mm		
BTACS 100A	100		
BTACS 100	100		

"A" at the end of the product code = Item with adhesive

SUITABLE FOR USE IN CONTACT WITH FOODSTUFFS

LAYING INSTRUCTIONS

1. Choose the "SKIRTING 100-150" also choose with or without adhesive. 2. Cut the profile to the required length, taking care to calculate the width of the inside-outside corner joints. 3. For the self-adhesive version, the surface must be smooth, grease-free and not porous. It is not recommended for plaster and mortar surfaces (version without adhesive is better, using fast-setting acrylic silicone which is suitable for fixing aluminium to mortar - plaster, etc.). 4. Use the corner linking elements-joints and right and left end caps to facilitate laying.



POLISHED STAINLESS STEEL AISI 304/1.4301-V2
with protective film - bar length 2 lm - pack. 20 Pcs - 40 lm

Article	H mm		
BTAC 150A	150		
BTAC 150	150		

Brushed STAINLESS STEEL AISI 304/1.4301-V2A
with protective film - bar length 2 lm - pack. 20 Pcs - 40 lm

Article	H mm		
BTACS 150A	150		
BTACS 150	150		

"A" at the end of the product code = Item with adhesive

USE PROBAND FIX FOR FIXING THE PROFILE TO THE WALL



COLOURS

AC - Polished stainless steel AISI 304/1.4301-V2A	ACS - Brushed stainless steel AISI 304/1.4301-V2A

CORNERS, END CAPS AND JOINTS

STEEL and VARNISHED METAL

EDGE COVER VARNISHED METAL



RIZCT... 100
internal corner



REZCT... 100
external corner



GIZCT... 100
joint



TPZCT... 100/3
end caps

STEEL PRE-WELDED

RI... 100 / 150
internal corner



RE... 100 / 150
external corner



VARNISHED METAL - EDGE COVER CORNERS H100 - articles not for sale singly

INTERNAL/EXTERNAL CORNER - EDGE COVER VARNISHED METAL POLISHED STEEL EFFECT

Article	HxL mm	pack. 2Pcs	pack. 5Pcs
RIZCTAC 100/...	100 x 20		
REZCTAC 100/...	100 x 20		

JOINT - EDGE COVER

VARNISHED METAL POLISHED STEEL EFFECT

Article	H mm	pack. 2Pcs	pack. 5Pcs
GIZCTAC 100/...	100		

Choose the desired packaging.

E.g.: RIZCTAC 100/2 (pack. 2 Pcs) - RIZCTAC 100/5 (pack. 5 Pcs)

END CAPS R / L - EDGE COVER - VARNISHED METAL POLISHED STEEL EFFECT - pack. 4Pcs (2 R + 2 L) / 10Pcs (5 R + 5 L)

Article	H mm	pack. 4Pcs	pack. 10Pcs
TPZCTAC 100/...	100		

Choose the desired packaging.

E.g.: TPCCTAC 100/2 (pack. 4 Pcs: 2 right + 2 left)
TPCCTAC 100/5 (pack. 10 Pcs: 5 right + 5 left)

STEEL AISI 304/1.4301-V2A - FLUSH CORNERS H100

articles not for sale singly

INTERNAL/EXTERNAL CORNER - FLUSH PRE-WELDED POLISHED-BRUSHED STAINLESS STEEL EFFECT

Article	HxL mm	pack. 2Pcs	pack. 5Pcs
RIAC 100/...	100 x 50		
REAC 100/...	100 x 50		
RIACS 100/...	100 x 50		
REACS 100/...	100 x 50		

Choose the desired packaging.

E.g.: RIAC 100/2 (pack. 2 Pcs) - RIAC 100/5 (pack. 5 Pcs)

INTERNAL/EXTERNAL CORNER - EDGE COVER VARNISHED METAL BRUSHED STAINLESS ST. EFFECT

Article	HxL mm	pack. 2Pcs	pack. 5Pcs
RIZCTACS 100/...	100 x 20		
REZCTACS 100/...	100 x 20		

JOINT - EDGE COVER

VARNISHED METAL BRUSHED STAINLESS ST. EFFECT

Article	H mm	pack. 2Pcs	pack. 5Pcs
GIZCTACS 100/...	100		

Choose the desired packaging.

E.g.: RIZCTACS 100/2 (pack. 2 Pcs) - RIZCTACS 100/5 (pack. 5 Pcs)

END CAPS R / L - EDGE COVER - VARNISHED METAL BRUSHED STAINLESS ST. EFFECT - pack. 4Pcs (2 R + 2 L) / 10Pcs (5 R + 5 L)

Article	H mm	pack. 4Pcs	pack. 10Pcs
TPZCTACS 100/...	100		

Choose the desired packaging.

E.g.: TPCCTACS 100/2 (pack. 4 Pcs: 2 right + 2 left)
TPCCTACS 100/5 (pack. 10 Pcs: 5 right + 5 left)

STEEL AISI 304/1.4301-V2A - FLUSH CORNERS H150 articles not for sale singly

INTERNAL/EXTERNAL CORNER - FLUSH PRE-WELDED POLISHED-BRUSHED STAINLESS STEEL EFFECT

Article	HxL mm	pack. 2Pcs	pack. 5Pcs
RIAC 150/...	150 x 50		
REAC 150/...	150 x 50		
RIACS 150/...	150 x 50		
REACS 150/...	150 x 50		

Choose the desired packaging.

E.g.: RIACS 150/2 (pack. 2 Pcs) - RIACS 150/5 (pack. 5 Pcs)

SKIRTING 100 made in anodized, polished and brushed aluminium in height 100 mm. Available with or without adhesive. Superior aesthetic quality and easy to lay, it is ideal for all public and private environments. Can be used with all types of flooring.

In order to facilitate and to perfect the laying process, internal and external angles, plugs and junctions are recommended.

Please contact the technical department for informations concerning the skirting bending radius.

SKIRTING 100

ANODIZED, POLISHED, VARNISHED
and BRUSHED ALUMINIUM



ANODIZED SILVER ALUMINIUM thermo packed
bar length 2 lm - pack. 20 Pcs - 40 lm


Article	H mm		
BTAA 100A	100		
BTAA 100	100		

POLISHED TITANIUM ALUMINIUM thermo packed
bar length 2 lm - pack. 20 Pcs - 40 lm

Article	H mm		
BTBT 100A	100		
BTBT 100	100		

VARNISHED SEMIGLOSSY AND MATT WHITE ALUMINIUM
thermo packed - bar length 2 lm - pack. 20 Pcs - 40 lm

Article	H mm		
BTA 100-01A	100		
BTA 100-01	100		
BTA 100-01OA	100		
BTA 100-01O	100		




BRUSHED ALUMINIUM (silver-copper-titanium)
thermo packed - bar length 2 lm - pack. 20 Pcs - 40 lm

Article	H mm		
BTBS 100A	100		
BTBS 100	100		
BTRS 100A	100		
BTRS 100	100		
BTTS 100A	100		
BTTS 100	100		

STONE LINE ALUMINIUM
thermo packed - bar length 2 lm - pack. 40 Pcs - 80 lm

Article	H mm		
BT 100-SL01A	100		
BT 100-SL01	100		
BT 100-SL08A	100		
BT 100-SL08	100		
BT 100-SL12A	100		
BT 100-SL12	100		

BT... 100/100A



EXAMPLES AND INSTRUCTIONS FOR LAYING METHODS



USE PROBAND FIX FOR FIXING THE PROFILE TO THE WALL

COLOURS

ANODIZED	POLISHED	BRUSHED	SEMIGLOSSY	MATT	STONE LINE
AA - Anodized silver alum.	BT - Polished titanium alum.	BS - Brushed silver alum.	01 - White varnished alum. (9016)	010 - White varnished alum. (9016)	SL01 - Stone white
		RS - Brushed copper alum.			SL08 - Stone antradrack
		TS - Brushed titanium alum.			SL12 - Stone black

CORNERS, END CAPS AND JOINTS

VARNISHED METAL and VARNISHED PLASTIC

* Corners, end caps and joints of the on demand profiles are also on demand

INTERNAL/EXTERNAL CORNER - EDGE COVER - VARNISHED METAL, ANODIZED, POLISHED STONE LINE - H 100 MM - L 20 MM

Article	pack. 2Pcs	pack. 5Pcs
RIZCTAA 100/...		
REZCTAA 100/...		
RIZCTBT/BS/TS/RS 100/...		
REZCTBT/BS/TS/RS 100/...		
RIZCT01/010 100/...		
REZCT01/010 100/...		
RIZCTA 100-SL.../...		
REZCTA 100-SL.../...		

Choose the desired packaging.
E.g.: RIZCTAA 100/2 (pack. 2 Pcs) - RIZCTAA 100/5 (pack. 5Pcs)

JOINT - EDGE COVER
VARNISHED METAL ANODIZED, POLISHED, STONE LINE

Article	H mm		
GIZCTAA 100/...	100		
GIZCTBT/BS/TS/RS 100/...	100		
GIZCT01/010 100/...	100		
GIZCTA 100-SL.../...	100		

END CAPS R / L - EDGE COVER - VARNISHED METAL ANODIZED, POLISHED, STONE LINE - pack. 4Pcs (2 R + 2 L) / 10Pcs (5 R + 5 L)

Article	H mm		
TPZCTAA 100/...	100		
TPZCTBT/BS/TS/RS 100/...	100		
TPZCT01/010 100/...	100		
TPZCTA 100-SL.../...	100		

METAL EDGE COVER



INTERNAL/EXTERNAL CORNER - EDGE COVER
VARNISHED PLASTIC ANODIZED SILVER, POLISHED AND TITANIUM

Article	HxL mm	pack. 2Pcs	pack. 5Pcs
RICTAA 100/...	100 x 20		
RECTAA 100/...	100 x 20		
RICTBT 100/...	100 x 20		
RECTBT 100/...	100 x 20		

Choose the desired packaging.
E.g.: RICTAA 100/2 (pack. 2 Pcs) - RICTAA 100/5 (pack. 5 Pcs)

Available on demand aluminium prewelded internal and external flush corners. Finishing: 01 - 010 - AA - BT - BS - RS - TS. Price to be agreed.
Production delay 4/5 weeks.

JOINT - EDGE COVER
VARNISHED PLASTIC ANODIZED SILVER, POLISHED AND TITANIUM

Article	H mm		
GICTAA 100/...	100		
GICTBT 100/...	100		

END CAPS R / L - EDGE COVER - VARNISHED PLASTIC ANODIZED SILVER, POLISHED AND TITANIUM - pack. 4Pcs (2 R + 2 L) / 10Pcs (5 R + 5 L)

Article	H mm		
TPCTAA 100/...	100		
TPCTBT 100/...	100		

Choose the desired packaging.
E.g.: TPCTAA 100/2 (pack. 4 Pcs: 2 right + 2 left)

PLASTIC EDGE COVER



*** = Production on demand with minimum quantity of 80 Pcs. Production delay 4/5 weeks. Price to be agreed

* = Production on demand with minimum quantity of 100 Pcs. Production delay 4/5 weeks. Price to be agreed

News 2023